

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** *Ampreg 22 Slow Hardener*
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation** *Epoxy curing agent*

- **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

GURIT ( UK) Ltd.  
ST. CROSS BUSINESS PARK  
NEWPORT IOW  
PO30 5WU  
UNITED KINGDOM  
TEL. +44 (0)1983 828000  
FAX. +44 (0)1983 828100  
OUT OF HOURS EMERGENCY +44 (0) 2392 241208

GURIT ASIA PACIFIC  
1A/81 BASSETT ST.  
MONA VALE, 2103,NSW  
AUSTRALIA  
A.C.N. 070 155 485  
+61 (0)2 9979 7248  
+61 (0)2 9979 6378

- **Informing department:** *Product safety department.*
- **Emergency telephone number:** *Contact as above*

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



C; Corrosive

R34: Causes burns.



Xn; Harmful

R21/22-68: Harmful in contact with skin and if swallowed. Possible risk of irreversible effects.



Xi; Sensitising

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

- **Code letter and hazard designation of product:**

C Corrosive

- **Hazard-determining components of labelling:**

3-aminomethyl-3,5,5-trimethylcyclohexylamine  
Formaldehyde Polymer with Phenol and TETA  
3,6-diazaoctanethylenediamin  
phenol

- **Risk phrases:**

21/22 Harmful in contact with skin and if swallowed.  
34 Causes burns.  
43 May cause sensitisation by skin contact.  
68 Possible risk of irreversible effects.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 21.09.2011

Version number 9

Revision: 21.09.2011

**Trade name: Ampreg 22 Slow Hardener**

(Contd. of page 1)

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases:**

20 When using do not eat or drink.

23 Do not breathe fumes.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

61 Avoid release to the environment. Refer to special instructions/safety data sheets.

**Other hazards**
**Results of PBT and vPvB assessment**

• **PBT:** Not applicable.














• **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

• **Description:** Mixture of the substances listed below with harmless additions.

**Dangerous components:**

CAS: 9046-10-0	Polyoxyalkyleneamine  C R34	50-100%
CAS: 2855-13-2 EINECS: 220-666-8	3-aminomethyl-3,5,5-trimethylcyclohexylamine  C R34;  Xn R21/22;  Xi R43 R52/53	25-50%
CAS: 32610-77-8	Formaldehyde Polymer with Phenol and TETA  C R34;  Xn R21/22;  Xi R43 R52/53	2.5-10%
CAS: 108-95-2 EINECS: 203-632-7	phenol  T R23/24/25;  C R34;  Xn R48/20/21/22-68 Muta. Cat. 3	2.5-10%
CAS: 112-24-3 EINECS: 203-950-6	3,6-diazaoctanethylenediamin  C R34;  Xn R21;  Xi R43 R52/53	0.5-2.5%

### 4 First aid measures

**Description of first aid measures**

• **General information** Instantly remove any clothing soiled by the product.

**After inhalation**

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

• **After skin contact** Instantly wash with water and soap and rinse thoroughly.

• **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

**After swallowing**

Do not induce vomiting; instantly call for medical help.

A person vomiting while lying on their back should be turned onto their side.

Administer medicinal carbon

Rinse out mouth and then drink plenty of water.

**Information for doctor**

• **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 21.09.2011

Version number 9

Revision: 21.09.2011

**Trade name: Ampreg 22 Slow Hardener**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**  
Water haze  
Foam  
Fire-extinguishing powder  
Carbon dioxide
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear full protective suit.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter drains.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 8 for information on personal protection equipment.

### 7 Handling and storage

- **Handling**
- **Precautions for safe handling**  
Store in cool, dry place in tightly closed containers.  
Keep away from heat and direct sunlight.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

#### 108-95-2 phenol (0.5-10%)

OEL	Short-term value: 39 mg/m <sup>3</sup> , 10 ppm Long-term value: 20 mg/m <sup>3</sup> , 5 ppm
	Sk

- **Additional information:** The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 21.09.2011

Version number 9

Revision: 21.09.2011

**Trade name: Ampreg 22 Slow Hardener**

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
 Keep away from foodstuffs, beverages and food.  
 Take off immediately all contaminated clothing  
 Wash hands during breaks and at the end of the work.  
 Avoid contact with the eyes and skin.
- **Breathing equipment:**  
 Use breathing protection in case of insufficient ventilation.  
 Filter P3.
- **Protection of hands:**



Protective gloves.

- **Material of gloves**  
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**  
 Nitrile rubber, NBR
- **As protection from splashes gloves made of the following materials are suitable:**  
 Nitrile rubber, NBR
- **Eye protection:**



Tightly sealed safety glasses.

- **Body protection:** Protective work clothing.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Green
<b>Odour:</b>	Amine-like

- **Change in condition**

**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** 247°C

<b>Flash point:</b>	117°C
<b>Ignition temperature:</b>	240.0°C
<b>Self-inflammability:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product is not explosive.
<b>Density at 20°C</b>	0.949 g/cm <sup>3</sup>

(Contd. on page 5)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 21.09.2011

Version number 9

Revision: 21.09.2011

Trade name: Ampreg 22 Slow Hardener

(Contd. of page 4)

- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix
- **Solvent content:**
  - Organic solvents:** 0.0 %
  - Water:** 0.0 %
- **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Danger of toxic pyrolysis products

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

#### 9046-10-0 Polyoxyalkyleneamine

Oral	LD50	2855 mg/kg (rat)
Dermal	LD50	2980 mg/kg (rab)

#### 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral	LD50	1030 mg/kg (rat)
------	------	------------------

#### 108-95-2 phenol

Oral	LD50	300 mg/kg (mus)
Dermal	LD50	670 mg/kg (rat)
Inhalative	LC50/4 h	316 mg/l (rat)

- **Primary irritant effect:**
  - on the skin:** Caustic effect on skin and mucous membranes.
  - on the eye:** Strong caustic effect.
- **Sensitization:** Sensitization possible by skin contact.
- **Additional toxicological information:**
  - Harmful
  - Corrosive
  - Irritant
  - Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
  - The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 21.09.2011

Version number 9

Revision: 21.09.2011

**Trade name: Ampreg 22 Slow Hardener**

(Contd. of page 5)

- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09	waste adhesives and sealants containing organic solvents or other dangerous substances

- **Uncleaned packagings:**
- **Recommendation:**  
Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

### 14 Transport information

- **UN-Number**
- **ADR, IMDG, IATA** UN2735
- **UN proper shipping name**
- **ADR** 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S.  
(Polyoxyalkyleneamine, ISOPHORONEDIAMINE)
- **IMDG, IATA** POLYAMINES, LIQUID, CORROSIVE, N.O.S.  
(Polyoxyalkyleneamine, ISOPHORONEDIAMINE)

- **Transport hazard class(es)**

- **ADR**



- **Class** 8 Corrosive substances.
- **Label** 8

- **IMDG, IATA**



- **Class** 8 Corrosive substances.

(Contd. on page 7)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 21.09.2011

Version number 9

Revision: 21.09.2011

**Trade name: Ampreg 22 Slow Hardener**

(Contd. of page 6)

· <b>Label</b>	8
· <b>Packing group</b> · <b>ADR, IMDG, IATA</b>	II
· <b>Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b> · <b>Kemler Number:</b> · <b>EMS Number:</b> · <b>Segregation groups</b>	Warning: Corrosive substances. 80 F-A, S-B Alkalis
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Technical instructions (air):**

Class	Share in %
I	1.8

- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

R21 Harmful in contact with skin.  
 R21/22 Harmful in contact with skin and if swallowed.  
 R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.  
 R34 Causes burns.  
 R43 May cause sensitisation by skin contact.  
 R48/20/21/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.  
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 R68 Possible risk of irreversible effects.

- **Department issuing data specification sheet:** Health, Safety & Environmental department.
- **Contact:** SIMON RHODES
- \* **Data compared to the previous version altered.**